

TABULAR DESCRIPTION

RNAV (GNSS) RWY18											
Serial	Path	Waypoint Identifier	Flyover	Course	Magnetic	Distance	Turn	Altitude	Speed	VPA/	Navigation
Number	Descriptor			° M (° T)	Variation	(NM)	Direction	(FT)	(KT)	TCH	Specification
010	IF	ANGET (IAF)	-	-	+0.75	-	-	@9000	-	-	RNP APCH
020	TF	WANCA	-	116°(115.46°)	+0.75	6.3	-	@8000	-200	-	RNP APCH
030	TF	ZUTEF	-	116°(115.46°)	+0.75	5.3	-	@5600	-200	-	RNP APCH
040	TF	MALIM (IF)	-	116°(115.46°)	+0.75	4.5	-	@3700	-200	-	RNP APCH
010	IF	YAMUN (IAF)	-	-	+0.75	-	-	@9000	-	-	RNP APCH
020	TF	WANCA	-	072°(070.96°)	+0.75	12.0	R	@8000	-200	-	RNP APCH
030	TF	ZUTEF	-	116°(115.46°)	+0.75	5.3	-	@5600	-200	-	RNP APCH
040	TF	MALIM (IF)	-	116°(115.46°)	+0.75	4.5	-	@3700	-200	-	RNP APCH
010	IF	ADLUS (IAF)	-	-	+0.75	-	-	@8000	-	-	RNP APCH
020	TF	PAPAI	-	217°(216.45°)	+0.75	9.5	R	@8000	-200	-	RNP APCH
030	TF	LAMMY	-	282°(281.20°)	+0.75	7.4	L	@5200	-200	-	RNP APCH
040	TF	MALIM (IF)	-	211°(210.15°)	+0.75	3.5	-	@3700	-200	-	RNP APCH
010	IF	NWAT	-	-	+0.75	-	-	+8000	-	-	RNP APCH
020	TF	WSTA (IAF)	-	357°(356.33°)	+0.75	8.0	-	+8000	-	-	RNP APCH
030	TF	PAPAI	-	357°(356.33°)	+0.75	12.2	L	@8000	-200	-	RNP APCH
040	TF	LAMMY	-	282°(281.20°)	+0.75	7.4	L	@5200	-200	-	RNP APCH
050	TF	MALIM (IF)	-	211°(210.15°)	+0.75	3.5	-	@3700	-200	-	RNP APCH
010	IF	MALIM (IF)	-	-	+0.75	-	-	@3700	-200	-	RNP APCH
020	TF	CNXNF (FAF)	-	181°(180.14°)	+0.75	5.5	-	@2500	-	-	RNP APCH
030	TF	SAPUT (SDF)	-	181°(180.14°)	+0.75	1.0	-	@2200	-	-	RNP APCH
040	TF	THR18 (MAPt)	Y	181°(180.14°)	+0.75	3.5	-	@1750	-	-	RNP APCH
050	TF	NEWLY (MATF)	-	181°(180.14°)	+0.75	20.8	-	-	-200	-	RNP APCH
060	DF	NWAT	-	-	+0.75	-	L	+8000	-	-	RNP APCH
070	HM	NWAT	Y	307°(306.18°)	+0.75	1 minute	R	+8000	-230	-	RNP APCH