

## TABULAR DESCRIPTION

## RNAV (GNSS) RWY32

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course ° M (° T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA/ TCH	Navigation Specification
010	IF	PERIN (IAF)	-	-	+0.74	-	-	+8000	-	-	RNP APCH
020	TF	SPATA	-	001°(359.77°)	+0.74	12.9	R	+5000	-	-	RNP APCH
030	TF	KANPU (IF)	-	050°(049.01°)	+0.74	9.9	-	+3200	-	-	RNP APCH
010	IF	NANIA (IAF)	-	-	+0.74	-	-	+5000	-	-	RNP APCH
020	TF	KANPU (IF)	-	235°(233.89°)	+0.74	14.5	-	+3200	-	-	RNP APCH
001	IF	KANPU (IF)	-	-	+0.74	-	-	+3200	-	-	RNP APCH
002	TF	PHSSF (FAF)	-	325°(323.91°)	+0.74	7.2	-	@2100	-	-	RNP APCH
003	TF	PHSSM (MAPt)	Y	325°(323.89°)	+0.74	6.0	-	@195	-	-3.0/50	RNP APCH
004	CA	-	-	325°(323.89°)	+0.74	-	-	+1600	-	-	RNP APCH
005	DF	KANPU (IF)	-	-	+0.74	-	L	+3200	-	-	RNP APCH
006	HM	KANPU (IF)	Y	325°(323.91°)	+0.74	1 minute	R	+3200	-230	-	RNP APCH

## WAYPOINT LIST

## RNAV (GNSS) RWY32

Waypoint Identifier	Coordinates
PERIN	16° 16' 05.94" N 100° 17' 36.21" E
SPATA	16° 29' 04.24" N 100° 17' 32.98" E
NANIA	16° 44' 09.72" N 100° 37' 31.28" E
KANPU	16° 35' 36.50" N 100° 25' 20.68" E
PHSSF	16° 41' 27.08" N 100° 20' 55.71" E
PHSSM (THR32)	16° 46' 19.16" N 100° 17' 14.69" E