

**TABULAR DESCRIPTION**

**RNP y RWY09 (AR)**

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course/Track °M(°T)	Magnetic Variation	Distance (NM)	Arc Direction	Altitude (FT)	Speed (KT)	VPA/TCH	RNP	Navigation Specification
001	IF	KALIM(IAF)	-	-	0.48	-	-	-4000	-	-	-	RNP AR APCH
002	TF	HK 450	-	85°(85.1°)	0.48	3.8	-	-4000	-	-	0.3	RNP AR APCH
003	TF	SAMON	-	85°(85.1°)	0.48	10.1	-	1000	-	-2.8	0.3	RNP AR APCH
001	IF	MODON	-	-	0.48	-	-	-10000	-	-	-	RNP AR APCH
002	TF	TUNAA(IAF)	-	232°(232.2°)	0.48	27.2	-	-3100	-	-	2.0	RNP AR APCH
003	TF	HK 870	-	232°(232.1°)	0.48	3.5	-	-3000	-200	-	0.3	RNP AR APCH
004	RF RHK87 r=2.6 NM	SAMON	-	-	0.48	6.7	L	1000	-	-2.8	0.3	RNP AR APCH
001	IF	SAABA(IAF)	-	-	0.48	-	-	-3000	-	-	-	RNP AR APCH
002	TF	HK 680	-	312°(311.5°)	0.48	3.5	-	-3000	-220	-	0.3	RNP AR APCH
003	RF RHK68 r=2.9 NM	SAMON	-	-	0.48	6.7	R	1000	-	-2.8	0.3	RNP AR APCH
001	IF	SP 801	-	-	0.48	-	-	-8000	-	-	-	RNP AR APCH
002	TF	SAABA(IAF)	-	312°(311.5°)	0.48	16.4	-	-3000	-	-	2.0	RNP AR APCH
003	TF	HK 680	-	312°(311.5°)	0.48	3.5	-	-3000	-220	-	0.3	RNP AR APCH
004	RF RHK68 r=2.9 NM	SAMON	-	-	0.48	6.7	R	1000	-	-2.8	0.3	RNP AR APCH
001	IF	TUNAA	-	-	0.48	-	-	-3100	-	-	-	RNP AR APCH
002	TF	HK 870	-	232°(232.1°)	0.48	3.5	-	-3000	-200	-	0.3	RNP AR APCH
003	RF RHK87 r=2.6 NM	SAMON	-	-	0.48	6.7	L	1000	-	-2.8	0.3	RNP AR APCH
001	IF	SAMON(FAF)	-	-	0.48	-	-	1000	-	-	-	RNP AR APCH
002	TF	RWY09(MAPt)	Y	85°(85.1°)	0.48	3.1	-	69	-	-2.8	0.3	RNP AR APCH
003	TF	HK491	-	85°(85.1°)	0.48	2.3	-	-	-	-	0.4	RNP AR APCH
004	TF	HK495	-	85°(85.1°)	0.48	2.9	-	-	-	-	1.0	RNP AR APCH
005	RF RHK49 r=4.0 NM	HK497	-	-	0.48	5.1	R	-	-	-	1.0	RNP AR APCH
006	TF	GENOA	-	158°(157.8°)	0.48	12.9	-	-4000	-	-	1.0	RNP AR APCH
007	HM	GENOA	Y	315°(315.0°)	0.48	1 minute	L	-4000	-	-	-	RNP AR APCH