

**TABULAR DESCRIPTION**

**RNP RWY27**

Serial Number	Path Descriptor	Waypoint Identifier	Flyover	Course ° M (° T)	Magnetic Variation	Distance (NM)	Turn Direction	Altitude (FT)	Speed (KT)	VPA/ TCH	Navigation Specification
010	IF	(IAF) KADAV	-	-	+0.65	-	-	@7000	-240	-	RNP APCH
020	TF	OBKED	-	216°(215.3°)	+0.65	3.0	-	@6000	-	-	RNP APCH
030	TF	(IF) NUDSI	-	216°(215.3°)	+0.65	3.9	-	+5300	-200	-	RNP APCH
010	IF	LARAK	-	-	+0.65	-	-	@6000	-	-	RNP APCH
020	TF	(IAF) ENRAD	-	141°(140.3°)	+0.65	6.1	-	+5300	-	-	RNP APCH
030	TF	(IF) NUDSI	-	180°(179.2°)	+0.65	7.0	-	+5300	-200	-	RNP APCH
010	IF	(IAF) ANKUT	-	-	+0.65	-	-	@6000	-200	-	RNP APCH
020	TF	(IF) NUDSI	-	318°(316.9°)	+0.65	5.0	-	+5300	-200	-	RNP APCH
010	IF	(IF) NUDSI	-	-	+0.65	-	-	+5300	-200	-	RNP APCH
020	TF	(FAF) RIDGU	-	270°(269.2°)	+0.65	7.3	-	@3600	-	-	RNP APCH
030	TF	(SDF) PM202	-	270°(269.2°)	+0.65	1.5	-	@3060	-	-	RNP APCH
040	TF	(SDF) PM201	-	270°(269.2°)	+0.65	2.2	-	@2270	-	-	RNP APCH
050	TF	(MAPt) PM200	Y	270°(269.2°)	+0.65	2.7	-	@1300	-180	-3.4/50	RNP APCH
060	DF	ENDOB	-	-	+0.65	-	R	-	-	-	RNP APCH
070	TF	ENLON	-	024°(023.1°)	+0.65	5.3	-	+4000	-200	-	RNP APCH
080	TF	LARAK	-	090°(089.1°)	+0.65	8.9	-	@6000	-	-	RNP APCH
090	TF	ENRAD	-	141°(140.3°)	+0.65	6.1	-	+5300	-	-	RNP APCH
100	TF	NUDSI	-	180°(179.2°)	+0.65	7.0	-	+5300	-	-	RNP APCH
110	HM	NUDSI	Y	270°(269.2°)	+0.65	-	R	+5300	-200	-	RNP APCH

**WAYPOINT LIST**

RNP RWY27			
Waypoint Identifier	Coordinates		Pronunciation
ANKUT	16 38 34.88 N	098 53 03.27 E	AN-KUT
LARAK	16 53 59.25 N	098 45 19.90 E	LA-RAK
NUDSI	16 42 13.62 N	098 49 30.56 E	NUD-SI
ENLON	16 53 51.38 N	098 36 05.93 E	EN-LON
KADAV	16 47 54.24 N	098 53 40.89 E	KA-DAV
RIDGU	16 42 07.39 N	098 41 55.93 E	RID-GU
ENRAD	16 49 15.30 N	098 49 24.50 E	EN-RAD
PM202	16 42 06.08 N	098 40 22.17 E	-
PM201	16 42 04.14 N	098 38 04.65 E	-
PM200	16 42 01.72 N	098 35 15.89 E	-
OBKED	16 45 26.75 N	098 51 52.46 E	OB-KED
ENDOB	16 48 57.93 N	098 33 55.61 E	ENDOB