


INSTRUMENT APPROACH CHART - ICAO
AERODROME ELEV 1036 FT
HEIGHTS RELATED TO THR RWY36 - ELEV 1007 FT


APP : 129.6 , 305.4
 TWR : 118.1 , 236.6
 GND : 121.9 , 275.8
 ATIS : 127.425 , 301.5

CHIANG MAI / Chiang Mai Intl (VTCC)

ILS or LOC z RWY36



098° 40' E 098° 50' E 099° 00' E 099° 10' E 099° 20' E 099° 30' E



DME FM GP/DME	0	0.2	2.0	7.3	10.2	19.5
NM FM THR	0	1.8	7.1	10.0	19.3	

OCA/H	A	B	C	D	Distance (ICMA)	2 D	3 D	4 D	5 D	6 D	7 D	FAF
Straight-in Approach	CAT I	1420 (413)			Altitude (Height)	1630 (623)	1940 (933)	2260 (1253)	2575 (1568)	2890 (1883)	3205 (2198)	3300 (2293)
LOC only		1630 (623)			Ground Speed	knot	70	90	100	120	140	160
Circling* (OCH AAL)		2030 (994)	2220 (1184)	2420 (1384)	Rate of Descent	ft/min	369	474	527	632	737	843

* FOR CIRCLING RESTRICTION SEE VERSO

CHANGE: ATIS FREQUENCY.