


TWR : 118.1 236.6
APP : 124.7 284.0
GND : 121.9
ATIS : 128.0



- REMARKS
1. Taxiways A, B, E, F and G Width : 30 m., Surface and strength : Concrete PCR 710/RA/W/T
 2. Taxiway C Width : 30 m., Surface and strength : Asphalt PCR 380/FA/X/T
 3. Taxiway D Width : 23 m., Surface and strength : Asphalt PCR 380/FA/X/T
 4. Taxiway H Width : 29.50 m., Surface and strength : Concrete PCR 1240/R/C/W/T
 5. Taxiway J Width : 29.50 m., Surface and strength : Concrete PCR 1240/R/C/W/T
 6. Taxiway K Width : 20 m., Surface and strength : Asphalt PCR 550/F/D/X/T
 7. Taxiway P Width: 23 m., Surface and strength: Concrete PCR 710/RA/W/T, Asphalt PCR 800/F/C/X/T
 8. Taxiway T1, T2, T3, T4, T5, T6, and T7 Surface and strength: Concrete PCR 780/RA/W/T
 9. Separation between RWY centre line and centre line of TWY P is 150 m.
 10. ACFT code C, D and E may be requested to hold on TWY when acft code C, D and E take off or landing in IMC. Due to minimum separation distance between RCL and TWY centre line is 150 m.

LEGEND	
	AERODROME REFERENCE POINT (ARP) 08 06 45 N 098 18 33 E
	BUILDING OR LARGE STRUCTURE
	TAXI ROUTES
	HOLDING POSITION
	AIRCRAFT STAND & IDENTIFICATION
	SERVICE ROAD
	CLOSED
	TAXIWAY AND TAXIWAY IDENTIFICATION
	HOT SPOT
	POLE, MAST, ANTENNA
	INTERMEDIATE HOLDING POSITION

REMARKS : COORDINATE IS WGS-84
THR RWY 09: 08 06 43 05N 098 18 11 90E
THR RWY 27: 08 06 52 23N 098 19 49 49E